

Ounderstanding Public Protection

EXPLORING VIEWS ON THE FITNESS TO PRACTISE OF HEALTH AND CARE PROFESSIONALS

CAROL MOORE, JOAN WALSH, DANIELLE SWAIN, STEPHEN BOUGH, GRACE BAKER.

PICKER INSTITUTE EUROPE

JANUARY 2013



Picker Institute Europe

Picker Institute Europe is a not-for-profit organisation that makes patients' views count in healthcare. We:

- build and use evidence to champion the best possible patient-centred care
- work with patients, professionals and policy makers to strive continuously for the highest standards of patient experience.

© Picker Institute Europe 2013

Published by and available from:
Picker Institute Europe
Buxton Court
3 West Way
Oxford OX2 OJB
Tel: 01865 208100

Tel: 01865 208100 Fax: 01865 208101 info@pickereurope.ac.uk www.pickereurope.org Charity registered in England and Wales 1081688 Company limited by guarantee 3908160



CONTENTS

Ackr	nowledgements	
1.	Executive Summary	1
2.	Background and Introduction	6
2.1	The Health and Care Professions Council	6
2.2	Fitness to practise and public protection	6
2.3	Aims and objectives	7
2.4	Gathering views from patients and the public: focus groups	8
2.5	Gathering views from key stakeholders and exploring reactions: telephone interviews	9
2.6	Online survey	9
3.	Perceptions of public protection and fitness to practise: public, patients, service users and carers	11
3.1	Experiences and expectations	11
3.2	Scenario discussions	14
4.	Perceptions of fitness to practise and public protection: professional bodies, registrants, employers and educators	26
4.1	Perceptions of the HCPC	26
4.2	Perceptions of public protection	27
4.3	Scenario discussions	27
5.	Perspectives from respondents to the online survey	35
5.1	Overview	35
5.2	Scenarios	36
App	endix 1 : patient and carer focus group topic guide	46
App	endix 2: professional interviews topic guide	51
App	endix 3: online survey response tables	55



Acknowledgements

Picker Institute Europe would like to thank all the members of the public and carers forums who assisted us with this work.

Special thanks go to the parent and carer forums in Derbyshire and London, whose members participated in our focus groups.

We would also like to thank the Patients Association, the Patient Information Forum, Carers UK and Bliss who advertised the online survey through their networks.



1. Executive Summary

In September 2012, the Health and Care Professions Council (HCPC) commissioned Picker Institute Europe to explore public and professional views and understandings of public protection. The project was designed to examine:

- understandings of the concept of 'public protection' and of fitness to practise;
- understandings and interpretations of terms used within determinations of fitness to practise;
- views on key ongoing issues and questions pertaining to public protection and fitness to practise;
- the information about individual practitioners that participants considered relevant for the regulator to determine fitness to practise, and whether and how views differ.

The project focused particular attention on the first and last of these (as requested by HCPC) throughout each of the three stages of fieldwork:

- six focus groups with members of the public, service-users and carers
- twenty interviews with stakeholders (professional bodies, registrants, employers and educators)
- an online survey with professionals and the public to quantify the views of the earlier phases.

This report integrates the findings from each of these stages.

Understandings of public protection

Participants found it difficult to define what the public may wish to be protected from. Responding to a range of fictional scenarios about health and care professionals, people were most concerned about dishonesty and use of illegal drugs. There was however no consensus regarding any behaviours or actions that participants felt would, regardless of the particular circumstances, bring a health or care professional's fitness to practise into question.

Professional stakeholders were concerned about further defining the concept of public protection (for example by attempting to create an exhaustive list of behaviours/actions that would trigger a fitness to practise process) for fear of creating unhelpful precedents and gaps. Their view was that the risk of public harm and the need for intervention to protect patients, service users and the public is and should be determined through case-by-case examination of individual circumstances, actions and contributory factors. This



reflects the way in which fitness to practise, and impairment thereof, is presently determined within HCPC processes.

Views of the public, patients, service users and carers

Members of the public found it difficult to distinguish between the professionals regulated by the HCPC and other health or care professionals whom they came into contact with. When asked what a good experience or excellent care looked like, participants invariably described professionals who were 'person-centred' and passionate about their work. Technical competence in the absence of a genuinely personalised approach was not enough.

When people referred to poor experiences of care, they described instances when their concerns had disregarded or downplayed, laboratory specimens or personal information had been lost, having been given confusing or contradictory information and advice, and fearing inappropriate treatment because of a breakdown in communications. Members of the public had little knowledge about the regulator's work, very few knew they could approach the regulator directly with concerns about care.

When asked for their concerns about wider public protection, as opposed to individual experiences, members of the public, patients and services users readily described specific instances, widely reported in the media, of major failures care quality. These systemwide failures clearly represented participants' worst-case scenario fears

In discussing professional fitness to practise, members of the public were most concerned to explore why a (fictional) scenario may have happened and, in particular, to identify possibly mitigating factors. Many expressed a wish to assist a health professional in improving. There was no consensus on how or whether or not any given situation may impair a professional's fitness to practise – most of the scenarios elicited, on the whole, relatively relaxed views. Negative gut-reactions to some of the scenario questions typically changed or were reversed completely as discussions developed. Participants felt very strongly that a comprehensive understanding of all circumstances of any scenario would be necessary in developing a definitive response with respect to a professional's impairment and fitness to practise.

In the scenarios dealing with off-duty criminality, participants' believed that the scenarios describing possession of an illegal drug (cannabis) and shoplifting were far more likely to affect fitness to practise (or to suggest impairment) than drink-driving. The key issue here seemed to be knowledge of illegality combined with intent.

The groups were asked if a formal health assessment may be an appropriate response to any of the off-duty criminal acts described in the scenarios, to identify if there are underlying addiction or mental health issues. Participants generally felt that this was disproportionate in the case of drink-driving, and slightly less so for possessing cannabis. In the case of shoplifting, members of public were nearly unanimous in recommending



that professionals undergo a health assessment to see if there is an underlying problem. It is important to note that, even when a scenario prompted concerns about fitness to practise, participants always discussed consequences (including health assessments) in a rehabilitative context. They wanted to understand in detail the circumstances why something had occurred, and to find ways to assist the health professional to be fully fit to practise.

Views of professional stakeholders

Professional stakeholders were most likely to associate public protection with the concept of harm. They also likened it to upholding the standards of performance and ethics to which they subscribed. Detailed knowledge of these standards meant that professional stakeholders were more readily able to determine that a health or care professional's fitness to practise *might* be affected by a scenario. However, like members of the public, professional interviewees tried to seek clarification on the particular circumstances in each case before giving a definitive response.

Professional stakeholders attributed a substantive role to employing organisations in assessing fitness to practise, and in escalating issues upward to the regulator. There was consensus that most issues with professional practice could be referred internally to continuing professional development in the first instance. Failure to respond and improve when appropriately advised and supported would thus constitute an impaired fitness to practise, rather than the 'one-off' incident that triggered intervention.

When asked about off-duty criminality, some professional stakeholders questioned whether health or care professionals were ever off-duty. Others hoped there could be a distinction between an individual's professional and private life, within the confines of the expectation of 'upholding the professional standards'. Professional views reflected those the public, whereby shoplifting was seen as most serious behaviour with regard to fitness to practise and drink-driving the least, with possession of cannabis sitting in the middle of the spectrum.

When asked about health assessments, the health professionals who responded that it was disproportionate did so more strongly than members of the public. Those who did believed that health assessments would be proportionate, did not strongly endorse the idea. Rather, they felt it would not be 'too high a hurdle' for a professional who should in any case be aware that his or her fitness to practise may be impaired.

Views of online survey respondents

The majority of survey respondents fell into two categories:

- members of the public, patients, service-users and carers (48.0%);
- HCPC registrants (37.3%)



The remaining 14.7% identified themselves as health or care professionals who were not registered with the HCPC or as 'other'. Most respondents had some prior knowledge of the HCPC and the work that they do, however 30.4% of respondents had not heard of the HCPC before taking the survey. The online survey questions asked about consequences for scenarios rather than for the degree to which any scenario may affect a health or care professional's fitness to practise. However, similar thought patterns and beliefs can be inferred from the responses to the online survey as those seen in the earlier stages of the project. Each scenario elicited a wide range of opinions regarding the most appropriate course of action: different people attributed different degrees of seriousness and severity to the same actions.

In the earlier focus groups and interviews, project participants discussed whether the consequences of a professional's behaviour/act, should be taken into consideration in considering fitness to practise. In the online survey, consequences and the nature professionals' roles/relationships with patients both influenced respondents' views regarding the most appropriate course of action.

Integrating public and professional participants' views: key findings

Above all, focus group participants were clear that they would most like to be protected from consistently poor performance, by individual health and care professionals and (most particularly) across organisations. That is to say, they wish to be protected from health professionals and services who are 'repeat offenders' or whom they believe to have 'slipped through the cracks'.

When asked which of the scenarios would cause most concern about fitness to practise, those describing dishonesty and on-duty failure to adhere to core professional standards were of more concern than the off-duty criminality scenarios. In scenarios where a professional's actions raised questions about their honesty, participants were more likely to believe that escalation to the regulator would be appropriate if the professional worked in the community or in people's homes.

People generally did not support escalating 'one-off' issues or mistakes to the regulator, i.e. without any evidence to suggest that there was a pattern of poor behaviour or professional practice. They did however emphasise that it is very important for employers formally to document instances and remedial interventions, so that recurrent and ongoing problems can be identified at the earliest opportunity and escalated appropriately. Overall, professional participants' threshold for thinking that an individual's behaviour might suggest impaired fitness to practise was much **lower** than the public groups' threshold. The professional threshold for involving the regulator, however, was much **higher**.

There was a particular concern about health or care professionals moving from one employer to another and concealing a history of 'minor' issues which, taken together, might suggest impaired fitness to practise. Many people wondered if there was a role for



the HCPC in monitoring incidents that would not, in themselves, cause concern about fitness to practise but that might indicate a problem if repeated and/or if viewed as part of a pattern or bigger picture.

There was, in theory, agreement that the seriousness (or not) of a practitioner's poor behaviour or practice was independent of any adverse outcomes that might result from it. Nonetheless, focus group participants were more likely to view things more seriously, and to think that a health professional's fitness to practise should be investigated, if they were subsequently told that harm had resulted. Stakeholder interviewees agreed that actions and consequences should be viewed separately. They also, however, believed that the response of an employer or regulator should be proportionate to any harm that resulted.

This study also suggests:

- a substantial concern that professionals should be honest and trustworthy, both on and off duty;
- a complex, but relatively relaxed attitude, towards off-duty use of alcohol, including 'one-off' drink-driving;
- greater concern about possession/use of illegal drugs, attributable to intent and the choice knowingly to do something illegal;
- no consensus regarding what specifically the public would want to be protected from:
- no appetite for creating an explicit list of behaviours or acts that should trigger investigation of fitness to practise.

Overall, there was consensus that fitness to practise and impairment should be considered on a case-by-case basis, taking all relevant factors and individual circumstances into account. Blanket recommendations and fixed responses would be unpopular with the public and with professionals.

With regard to requiring 'automatic' health assessments for concerns relating to alcohol and other drug use, a slight majority of participants felt that this would be a disproportionate response. People who did support such health assessments generally did so on the grounds that 'it wouldn't do any harm', and always discussed health assessments within the context of support, rehabilitation and regaining fitness to practise. Focus group participants' were keen to emphasise that the justice system is the highest (and in some cases only) arbiter for issues of criminality, including those pertaining to the use of illegal drugs and drunk-driving. Their view was essentially that professionals should not face 'double jeopardy' through HCPC processes.



2. Background and Introduction

2.1 The Health and Care Professions Council

The Health and Care Professions Council (HCPC) is the independent professional regulator of 16 health and social care professions. Its mandate is to protect the public; its role includes setting and maintaining education, training, skills, behaviour, registration and fitness to practise standards for all the professions that it regulates, and maintaining the professional register. HCPC was first established as the Health Professions Council (HPC) in April 2002, changing to HCPC in August 2012 as its remit was extended to cover the regulation of social care workers in England by the Health and Social Care Act.

2.2 Fitness to practise and public protection

The 2012 consultation document issued as part of the ongoing Law Commission review of the regulation of health and social care professionals' emphasised the need for clarity of purpose and accessibility in regulation processes. HCPC's literature is clear that "the purpose of our fitness to practise process is to protect the public from those who are not fit to practise."

A professional's fitness to practise can be considered to be 'impaired' if there are concerns about their ability to practise safely. The key objective of the HCPC fitness to practise process is therefore to ascertain whether a health professional is fit to continue practising as usual, should continue to practise but with limited scope, or should not continue to practise.

On occasion, health and care professionals make mistakes that are minor and are unlikely to be repeated. In such circumstances HCPC takes the view that the professional's overall fitness to practise is unlikely to be considered to be impaired. Repeated mistakes, or more severe mistakes - whether or not they are likely to be repeated - may indicate an impairment for which a fitness to practise proceeding would be the appropriate response.

In determining whether a health or social care professional's fitness to practise is impaired, HCPC fitness to practise panels must take into account a range of issues which, in essence, comprise two components:

a) the 'personal' component: the current competence, behaviour etc of the individual registrant;

http://lawcommission.justice.gov.uk/docs/cp202_regulation_of_healthcare_professionals_consultation.pdf last opened 19 December 2012



b) the 'public' component: the need to protect service users, and to declare and uphold proper standards of behaviour and maintain public confidence in the profession.

In 2011-12, HCPC spent just under half (46%) of its annual income on operating its fitness to practise functions. HCPC periodically reviews its fitness to practise systems and processes to ensure that they are fit for purpose and an effective use of resources. In recent years, the review process has included a study of HCPC stakeholders' expectations of the fitness to practise process and the ongoing HCPC response to the Council for Healthcare Regulatory Excellence (CHRE) performance review.

2.3 Aims and objectives

Focusing on the 'public' component of fitness to practise assessment, HCPC commissioned Picker Institute Europe to ask members of the public and HCPC professional stakeholders for their ideas and views regarding the types of actions, behaviours or practices that the public should be protected from. Essentially, HCPC was interested in identifying the stasis point between the extremes exaggerated 'health and safety' fears, and the perceived need to protect the public from harm that could be caused by HCPC registrants whose fitness to practise is, or may be, impaired.

The project was designed in order to explore with members of the public and professional stakeholders with regard to:

- their understanding of the concept of 'public protection' and of fitness to practise;
- their understanding and interpretation of terms used within determinations of fitness to practise;
- their views on the ongoing debates surrounding public protection and fitness to practise;
- what information about individuals they believe would be relevant to the regulator in determining fitness to practise, and whether there is any variance in this dependent on the profession (e.g. public facing versus non public facing professions).

The project used a four-stage developmental approach, with each stage informing the subsequent stages of the research. The first stage comprised an initial meeting with the HCPC and a review of existing research and background literature to examine key themes and areas for examination. Fieldwork in the second stage comprised a series of focus groups with members of the general public, service users and carers. Findings from the focus groups were used to design in-depth interviews with stakeholders, which in turn shaped an online survey to test public and stakeholder views against those of professionals (including HCPC registrants) and against the views of organisations representing public and patient groups.



2.4 Gathering views from patients and the public: focus groups

Six focus groups were held in early October 2012, two in Manchester, two in the Midlands and two in London.

Three focus groups were made up of the general public and three comprised members of patient and/or carer forums and networks. Forum and network members were specifically included to ensure that the project consulted individuals whom we could be confident had some (and often considerable) experience and understanding of health and care professionals regulated by HCPC, and of their roles and responsibilities.

The patient and public focus group topic guide is included as Appendix 1. It was designed to:

- develop an understanding of what the public feel they need to be protected from;
- identify minimum standards of behaviour required to maintain public confidence in professions regulated by the HCPC;
- examine reactions to scenarios which may cause concern about a health or care professional's fitness to practise.

All participants were asked for their consent to the digital recording of the focus groups. Participants were assured that what they said would be treated as confidential, and that any quotes would be anonymised within this report. Participants were offered a £50 incentive to compensate for their time and travel expenses.

Table 1: Patient and public focus groups

Group	Location	Participants
Carers UK group	London, UK	5
Carers UK group	London, UK	5
Public group	Midlands, UK	8
Parents and carers group	Midlands, UK	7
Public group	Manchester, UK	9
Public group	Manchester, UK	9



2.5 Gathering views from key stakeholders and exploring reactions: telephone interviews

The third stage of the project consisted of a series of 20 interviews with HCPC registrants, educators, employers, professional body representatives and other professional HCPC stakeholders. The interviews were conducted in October and November 2012. The interview topic guide is included as Appendix 2.

The interviews were designed to test the findings of the public focus groups, and to assess whether a deeper knowledge of professional standards and fitness to practise processes prompted different response to the scenarios. We further tested whether all professions could be held to the same standards of professional competency, or if there were more 'risks' to public protection posed by the nature of some professions in comparison to others.

Interview participants were identified by the HCPC, and from within Picker Institute Europe's network. There was a considered effort to have representation from diverse professions, roles and responsibilities, as well as geographic representation.

All participants were asked for their consent to the digital recording of their interview. Participants were assured that what they said would be treated as confidential and that quotes would be anonymised within this report.

Table 3: Stakeholder interviewees by profile

Interviewee Profile	Number
Representative of professional body	8
HCPC registrant and CHRE representatives	7
Educator	2
Employer	3
Total	20

2.6 Online survey

An online survey was developed for the final phase of the project. The survey was designed to:



- quantify the views of both patient and professional groups;
- share and test findings from earlier stages of the research;
- reach as wide a range of stakeholders;
- further explore differences in perspective based upon respondent characteristics, roles and responsibilities.

The Picker Institute provided a link to the survey, with an explanatory message, which HCPC distributed through its newsletter. The survey link was also distributed to patient organisations within the Picker Institute's network, including the Patient Information Forum, Bliss and the Patients Association. It was also posted on the Picker Institute's web and on social media sites.

The online survey ran from late November to mid December 2012. The explanatory message included a description of the research project aims and an assurance that all responses would remain confidential. A total of 204 respondents completed the survey, most of whom were patients, service users and members of the public (48%) or HCPC registrants (37.3%).

Table 3: Online survey respondents by profile

Respondent Profile	Number	Percentage
Patient, service-user or member of the public	98	48.0%
HCPC registered health or care professional	76	37.3%
Health or care professional not registered with HCPC	19	9.3%
Other	11	5.4%
Total	204	100.0%



3. Perceptions of public protection and fitness to practise: public, patients, service users and carers

At the outset of the focus groups, participants were asked to share their experiences of care from health and care professionals. Facilitators used this exercise to emphasise that the focus groups were concerned with professions regulated by HCPC, and specifically emphasised that this did not include doctors or nurses.

Participants were then asked to comment on a number of fictional scenarios describing potential issues relating to professional behaviour, including off-duty behaviour. Participants were asked to discuss how the behaviours and situations described may affect fitness to practise, and how they could or should be managed by employing organisations and the HCPC. This section describes the perceptions of the public, patients, service-users and carers on these topics and what the implications may be for HCPC processes.

3.1 Experiences and expectations

Integrity and trust

When asked about their experiences with, or perceptions of, health and care professionals, the groups highlighted experiences of excellent care and experiences where they received less good care. Most agreed that, overall, there is definite room for improvement in quality and/or consistency. Their view was that, due to their role, health and care professionals are given a unique type of trust by members of the public and that certain expectations of standards and behaviours inevitably sit alongside that.

Members of the focus groups had difficulty distinguishing between HCPC regulated health and care professionals and other health and care workers. They typically, though not exclusively, first thought about their experiences of health professionals with whom they had had most contact, which was often General Practitioners, nurses and dentists. This was consistent with, and perhaps reflected, participants' expectation that all health professionals, clinicians and non-clinicians, should be equally trustworthy and should adhere to the same high behavioural standards, regardless of deferring levels of clinical knowledge.

It's to do with integrity and trust is that, if somebody has a passion for what they are doing, they are unlikely to behave in a way which is contrary to what they are actually being asked to do...



Perceptions of excellence in care

The minimum expectation for health and care professionals was they would be 'competent', 'qualified' and 'passionate' about the work that they do.

When asked about what a 'good' health or care professional was like, participants described someone who was 'person-centred', who listened to them and kept them informed, and who took account of their lifestyle and needs in 'working in partnership' with them. When they spoke about excellent experiences of care, competence was not enough – it was the personalised approach that made the difference.

Someone who sees the whole picture and they don't just look at an individual problem.

Working in partnership with the patient and families

Experiences that lead to complaints or concerns about health and care professionals

Participants were asked to share any health or care experience that may have made them complain about the care they had received, or made them consider doing so. The instances that they described tended to be a contravention of the person-centred and personalised approach to working with the patient they thought were the ideal.

Experiences that participants shared also included concerns being downplayed or ignored, accusations of exaggerating their condition or pain, laboratory specimens being misplaced or lost, and health professionals working in an uncoordinated matter which meant that patients were given contradictory or confusing information and advice.

Some described being very concerned about the type of care that they or people they knew were receiving due to issues with medication, or to the health impacts of treatments received.

I've got a friend of mine who has a disabled son and I was surprised to hear of her problems is that she's had difficulty finding an appropriate home, finally she thought she had found a really good one and her son was very happy but every time she went up to visit him he'd put on weight and he's now morbidly obese and I thought goodness, you know, what sort of care service is that?

And I've experienced a few years ago with my Physiotherapist, I was telling them that I'm in pain and I needed massages, I needed some extra therapy but they turned on me, it was a young girl, probably she was poorly trained and she said to me, "You're lying," ... I didn't know where to complain..

When people were asked about whether they had made a complaint, or how they would complain if they wanted to, their immediate thoughts were to complain directly to the



health or care setting they were using or visiting, or to the local council. Most did not know they could approach the regulator directly.

Patients reported that when they did complain they did not feel reassured that the complaint was heard by the individual about whom the complaint was made, or that any changes to services were made as a result.

You might be able to get a complaint form but sometimes perhaps it does not get carried through.

There seems to be a department which does the apologies for you, the people who did whatever it was that was wrong don't apologise, as far as I can tell they're not even told about it, this may only be our particular one but the investigators we called was an eye-opener because we knew that the officer concerned was dreadful but we had not realised how dreadful and she's still there.

The main reasons for deciding to complain about care quality were to improve service, or to ensure their experience was not repeated. However, some participants, particularly those with long-term health needs, reported a fear of retribution or loss of service if they were to complain about the services they received.

Or are you going to continue working with that same professional? So if you go down that complaints procedure, but actually, at the end of it, if there is only one psychologist, or one dietician, and you then make a formal complaint against them, you then might be faced with no service, or actually still having to have some form of relationship with that healthcare professional

There is a perception amongst the public, and more visibly amongst patients and carers, that both NHS management's and professional bodies' default response to a complaint is to protect the hospital or professional from liability and, in so doing, to discredit the experience of the complainant. This (perceived) response, which participants were quick to blame on the litigious nature of society, was considered counterproductive; and some participants perceived health and care professions in a more negative light because of it.

But they're there to protect the professionals, they're not there to help us. You know, if you've got a complaint that you want to take to their professional body, they suddenly circle in, you know...

But the problem is with health professionals, even when it comes to management cases they do stick up for each other and...

One final concern shared by most of the public participants was that a complaint, which could also have legal ramifications, may expose the patient to further scrutiny, particularly in the media, which may cause them not to pursue the issue or concern.



Just leave it, don't pursue it because he'll be struck off and it'll be in the papers and this and that, and she'll be named and....

The role of the media in shaping public perceptions of public protection

Participants were not directly asked what they thought they 'needed to be protected from'; rather they were asked to discuss the type of things that might cause concern about the quality of health or social care or about the staff who provide it. In considering these questions, participants generally pointed to widely reported failures of NHS and social care systems, some recent and some from years ago. Focus group members were able to recall these cases quite readily and in some detail.

The place was eventually shut down, but the machinery of managing it and the Care Quality Commission had just patently failed to do anything about it. And that is really frightening because we trust our ... daughters to somebody else.

It was these systematic and system-wide failures that the public viewed as 'worst case scenario' fears. This would seem to indicate that the media has a large role to play in shaping the public's views of 'what they need to be protected from'. Group participants also pointed to a risk of adversely stereotyping entire professions on the basis of media coverage.

I think sometimes you look at these professionals and a lot of them especially on the social work side have had pretty bad press and I think generally you tarnish everybody with the same brush which is wrong, but I think that we tend to do that.

3.2 Scenario discussions

Much of the time in the focus groups was devoted to asking the public to comment on a number of brief fictional scenarios. The aim was to understand how seriously participants viewed the various issues that the scenarios raised, and whether there was agreement regarding the consequences for professionals whose behaviour fell below the generally expected standards.

All scenarios are included in Appendix 1, in the order in which they were presented to group participants.

Taking responses to all the scenarios together, there was very little consensus about how serious something was or what might cause concern about a professional's fitness to practise.

Participants were often able to give an immediate 'gut reaction' view regarding whether a scenario might cause them concern about a professional's fitness to practise. However, as discussions continued and thoughts were shared and developed, participants'



responses would often change; they often revised their initial thoughts about how serious something was, or changed their minds completely.

On the whole, participants felt that a complete and comprehensive understanding of the particular and individual circumstances would usually be needed in order to make any judgements about a health or care professional's fitness to practise, and that such information would not typically be known by the general public.

How would you know the circumstances? Surely there should be some sort of regulatory body, I'm sure there is, that looks at all of those circumstances and makes that decision on behalf of the public as to whether that affects... It's not for us to make a decision about his or her fitness to practise because we don't know the circumstances ... do you see what I mean?

Participants were however consistent in the belief that severity was increased and additional action would need to be taken if professionals repeated a behaviour or practice that contradicted the expected standards. In particular, they were more likely to consider something to be serious if it was repeated after it had been brought up with a professional, and/or previously included within a professional development plan. This was reflected in the public responses to the online survey, where only 13.7% of respondents felt a fitness to practise investigation was warranted after one incidence of a patient's record being left in an open area of a health or care setting. This percentage rose dramatically to 72.4% when the scenario indicated that this was 'not the first time'.

I mean if it was discovered the first time and they were spoken to and they're still doing it I think that's a lot more serious because then they are disobeying guidance as well as acting unprofessionally.

It follows, as some participants pointed out, that formally documenting and discussing an unacceptable behaviour or practice should happen sooner rather than later, so that future repetition can be identified as such.

Overall, the key criterion that participants seemed to use in assessing the scenarios was whether the behaviour or situation was something that they personally had done in the past, or could quite easily imagine themselves doing. Such things were generally considered to be less serious and less likely to suggest impaired fitness to practise.

Illegal behaviours were, on the whole, seen as more serious, but again people's views were tempered by whether they had done, or could imagine themselves 'inadvertently' doing, such a thing themselves. The key 'seriousness' factor seemed to be a conscious and premeditated decision to do something that 'everyone knows' to be illegal.

There was, in theory, agreement that the seriousness (or not) of a practitioner's poor behaviour or practice was independent of the consequences, if any, of that behaviour or practice. Nonetheless, participants were more likely to view things more seriously and to



think that a health professional's fitness to practise should be investigated if they were told later in the fictional scenario that harm had resulted, a view which was confirmed within the public responses in the online survey.

The following sections elaborate on the discussions and views of the participants about themes across the scenarios.

3.2.1 Scenario discussions: issues relating to record-keeping

Scenario 1: A health professional has left a patient record in an open area of the hospital that they practise in - is this a problem?

Scenario 2: A health professional's record-keeping is consistently unreadable or incomplete - is this problem?

There was a mixed initial reaction to leaving a patient's notes accessible to people who had no right to view them.

Some participants' immediate view was that patient records' inclusion of contact information alone would be enough to require that they be kept securely, because of the potential for identity theft.

Others felt that the nature of the information within health records is so personal that leaving them open and unprotected would contravene the 'privacy and respect' that they felt they ought to be afforded by health professionals.

Conversely, other members of the focus groups felt that within a health or care 'environment' there is an innate respect of confidentiality or privacy, as everyone attending that setting is in a similar situation. For these participants, the scenario it was not such a concern.

No, I wouldn't generally be bothered about looking at somebody else's notes. I mean, you very often see this, people's lives on the computer screens when you go into hospitals and things like that.

It's not a problem for me because normally they're in a folder and left on the side, you know you're in an environment where it's private and confidential. I don't know what I would gain if I picked somebody else's records up about from finding the name and address out and what was wrong with them, that wouldn't really interest me

One participant spoke of what the 'carelessness' of a health or care professional might say about how they view and value the people to whom they are providing services. Rather than being concerned about whether someone was able to read notes, her concern was whether notes, as an important archive, could be misplaced and the wealth of knowledge that would be lost with them.



It's more about the value that healthcare professional has in my notes, you know. They're very important to me and to my health and they're a very important document and it's the carelessness and what that says about how much they value me and those very, very important documents. Because, let's face it, if they were to get lost, they're irreplaceable...

Participants were quick to look for extenuating circumstances as to why a record may have been left in an open area, in order to understand why it might have happened and to react in a measured way. There was a belief that particularly in an acute health setting that perhaps records would be dropped to respond to a crisis situation.

There will be occasions where they're just going to have to drop it and run. And I do expect that, and I can sympathise with that. So, I would have to say, generally, I don't have a problem with that because I understand that there can be reasons why that can happen. But if it was just a guy who continuously, as you say, was leaving them in the cafeteria because he was, "Oh, I'll just buy a coffee,"...then yeah, I would have a problem with that.

Members of the public generally agreed that this was an issue for the employing organisation to manage, for example by providing training/updating about why patient records are kept confidential, how to ensure that they are kept confidential and ensuring that the situation was not repeated. Overall, 85% of members of the public agreed that this was an issue best resolved with an employer; but just over a third of those would want the regulator to have been notified that the health or care professional had received a warning.

I'd want to know why. I think you'd want to talk to that healthcare professional, that you re-train them, talk about why it's happening, do they understand the importance and the value of these notes? Maybe, for me, before I would, perhaps, go down a disciplinary route and then talking about how, maybe, those notes are managed.

In one group, they spoke of the significant repercussions that could occur from the loss of a record, based on the experience of a young person they knew who was accessing mental health services, and whose records had been lost in the transition between children's and adult services. In this case, the significant repercussion (and harm) included suicide attempts. This case is one area where members of the public found it more difficult to separate the consequences from the act, though initially the discussion centred around the fact that the loss of records would have the same potential for harm, regardless of whether or not any harm was caused in each case.

On this, my daughter's friend has been under the hospital for a long time, lots of issues, mental health as well as physical health and a similar thing happened to her, she turned 18, turned up for a first appointment and they had completely lost her records and they said they were left out from because she changed from being under the children's department to the adult's department and apparently these records or her records were



left out to be taken by somebody from child to adult and that girl has actually tried to commit suicide several times now because they said... ...that the history is not there, they've got to start all over again, she self-harms, it's really quite severe because they've got to now try and get all this information back again that's lost.

With regards to unreadable or incomplete records, participants mostly felt that the problem was more likely to be laziness and/or a lack of care and concern. That is to say, participants felt that this was less likely to be an 'honest mistake' than the first scenario. Participants also quickly identified negative consequences which may result from an illegible or incomplete record, such as an inappropriate treatment. Consequently, they tended to view the professional in the second scenario much more negatively than the professional in the first. The online survey indicated a similar thought process, as 6.7% of respondents would recommend a fitness to practise process in the first instance in this case, and much lower 32.6% in the case of a repeated action.

3.2.2 Scenario discussions: discussing religious views

Scenario 3: A health professional has discussed their religious views with a patient during a consultation. Does this affect their fitness to practise?

The views that participants shared seem broadly seemed to reflect their own personal religious views. However, all agreed that the context in which the subject religion was broached, and who initiated discussion of religious themes, were important in determining whether it was appropriate or not.

I'm sure it's quite different for someone hasn't asked for it, that's a whole different issue.

Participants who felt discussing religious views could sometimes be appropriate supported this by saying that there would be times, such as end of life care, where they would welcome a shared prayer or a conversation about religious faith.

I suppose it depends if it's done with consent. You know, if I was at end of life stage and you know, in my case you know, a Christian nurse had a strong faith and wanted to talk to me about it, I am sure I would feel a great sense of comfort from that and relief if, you know, if there wasn't somebody from the clergy on site...

Participants who themselves were not religious generally agreed that a professional discussing religious views would be inappropriate in most contexts. They did not necessarily feel that discussing religious views would always be offensive, given that patients are free to disagree or to disregard such views.

Participants were however concerned that not all patients may be confident or assertive enough to ask a professional not to share their religious views. Some felt that discussion of religious views should only occur if the patient initiated or invited it, but there was not consensus on this.



Participants strongly agreed that it would be inappropriate for religion to be discussed with reference to treatment options, because of a concern that that information or treatment availability may be biased by the professional's beliefs.

So the advice might be biased.

Especially like abortion, with some other religions they don't agree with abortion...

Yeah. I'm thinking it would only be a problem for me if they were going to withhold a certain treatment based on their religious beliefs.

...and I think that you should be able to make your own decision without being influenced by other people as to what treatment you're getting.

Participants did however agree that 'patient centred' religious discussions are acceptable, i.e. discussions about a patient's needs and requirements as these relate to religious beliefs and practices, including, for example, dietary requirements and the acceptability of treatment options.

Finally, one group's discussion focused on whether it was appropriate, in keeping with standards of professionalism, for a health or care professional to share any personal information with a patient, service-user or carer. Participants were generally not clear whether there are or should be 'rules' about this; some held surprisingly strong views. In the online survey, the majority of participants recommended that either no action should be taken in this case, or that an informal reprimand from an employer would be appropriate (86.3%).

I think it's against the code of conduct of the health professional, they're not supposed to disclose to the patient any personal information. Some disciplinary procedure, yeah, maybe he can't practise for a while or...probation or something.

3.2.3 Scenario discussions: criminal behaviours

Scenario 4: A health professional has been charged for drink-driving after attending a party on a weekend they were off duty. They drank 4 or 5 glasses of wine – they have not shown a history of alcohol abuse – does this impact on their ability to do their job?

Scenario 5: A health professional has participated in a public protest and has been arrested or detained for a public order offence as they are present when some violence has broken out, but are not directly involved in violence.

Scenario 7: A health professional is arrested for shoplifting.

In all the scenarios relating to criminality, participants found it difficult how to determine where the boundary lay between 'upholding the profession' and the right to a private life while off duty. This was evident in their responses to each scenario, where the cause for



concern was not the act of criminality itself, particularly if it was something they had done or could imagine themselves doing, but what that act might mean for their 'trustworthiness', 'judgement' or 'responsibility – all of which participants felt were crucial character traits of health and care professionals.

I'm very conscious of that because I don't think there's enough people in society can see the distinction between the working me and the human me that's doing whatever I want to do off duty in my spare time.

One thread in all of the last three [professional competence] questions is it actually affecting your professional activities...but if you're outside of the business I think it's a different case.

The participants also questioned the role of the fitness to practise process in relation to criminality as creating a 'double jeopardy' situation of being punished twice for the same criminal offence, or indeed being punished more harshly than other members of society.

But then you're speaking large, you punish a professional harder than you would punish another person.

It has to be a measured response doesn't it? It has to be a measured response

Some participants felt very strongly that the role of adjudicating criminality fell clearly and only within the realm of the justice system.

I think this is the lesson of professionalism, how to get that balance right, you can't lay down rigid rules because then you're taking away from sentencing policy, if ministers tell judges what sentencing policy has got to be why do you bother to have judges, you know.

My personal view is that you leave dealing with criminality to the courts, let them decide what it is.

One participant, in struggling to decide how criminality might affect a professional's ability to do their work safely and effectively, wondered whether any of these actions would make her unfit, as a parent, properly to provide care for her own children.

Well you could turn this round on its head anyway. I mean if you were to commit any of these offences or get, you know, any of these scenarios fitted with you, would that make you unfit to be a parent?

Participants disagreed regarding the point at which the regulator may need to be informed about an act of alleged criminality by one of their registrants. For some, an arrest was, on its own, enough to warrant notification to the regulator. Others did not feel that the regulator should be involved until a health or care professional was actually



convicted of a criminal offence; and even then, they were not certain that notifying the regulator should necessarily initiate a fitness to practise investigation.

Then it's a conviction and then yes, absolutely. But you know, innocent until proven guilty kind of thing. That for me would be the line was whether you were convicted.

Participants generally felt that the same behavioural standards should be adhered to by all health and care professionals, and that there should not be any distinction between the type of role that the professional in question had, i.e. whether their role was public facing or not.

However, in scenarios where a professional's actions raised questions about their honesty, participants were more likely to believe that escalation to the regulator would be appropriate if the professional worked in the community or in people's homes. Some participations suggested that professionals who do not work in direct contact with patients or service users could be treated more leniently in cases of alleged or proven dishonesty.

I'm just reflecting ... if they are working in a social environment perhaps they ought to be aware... In another profession I think it's just, should be seen as a private issue, but in the social sphere, you know, social work yes perhaps.

I think people thought that indirect contact with vulnerable people or with, you know, patients, they should probably be treated slightly differently, in laboratories they should also be treated differently.

3.2.4 Scenario discussions: use of drugs, including alcohol

Scenario 6: A health professional is arrested at a music festival for possession of marijuana; they are not known to be a regular user of drugs.

Facilitators also encouraged participants to refer back to Scenario 4 (drink-driving) in discussions about use of illegal drugs.

Views about possession and use of an illegal drug varied greatly within the groups, depending on the substance and its legal status. Participants were asked to comment on whether they thought a health or care professional's fitness to practise would be impaired following a drink-driving charge or by having been charged with possessing cannabis while off-duty.

Though both acts are clearly illegal, participants tended to be more lenient towards drink-driving than they were of possessing cannabis. When asked to elaborate on why there was a distinction, particularly in light of the risk of harm to others generally being higher with drink-driving, participants discussed intent. Essentially, the argument was that while drinking alcohol may cloud judgement to the extent that one is unable to recognise that



the level of impairment is too great to be driving - but a health professional would be fully aware that they are breaking the law when in possession of cannabis.

Not if they're not working.

No, drink-driving is not clever, you know. And it's illegal but it's, even if it was legal it's not clever. So you would maybe question their judgement. I wouldn't refuse to have them as my care professional, I would just say you stupid sod.

Perhaps I differ, I think that was behaving irresponsibly and I don't think he should be cut off from earning his living, he's a professional but I think there should be something...

With regard to drink-driving, participants felt that regulatory consequences should be minimal, if any at all, because:

- the act took place while the professional was off-duty and was not driving for business purposes;
- the professional would inevitably lose their driving licence and, if required to drive in their role, this might mean that her/his job was at risk.

Respondents to the online survey answered along similar lines with only 10.5% recommending any regulator involvement at all, and only 2.4% of public respondents recommending that a charge of drink-driving should initiate a fitness to practise proceeding.

Participants were mixed on whether or not a health professional should be compelled to tell their employer or the regulator about a drink-driving conviction. Participants were also quick to develop the circumstances under which a health or care professional may have 'needed' to drive after having been drinking.

In discussions about how to 'develop' a historic record to see whether a history of alcohol was present, options suggested included notifying the regulator of a conviction of this nature. Again, participants pointed out that formal documentation would be required earlier rather than later, in order to identify potentially problematic patterns of behaviour.

it says here there's no history of it, well we're beginning the history, you know, it now changes the scenario.

Participants were very unlikely to recommend that a formal health assessment should be conducted for an act which was seen as a 'one-off'. This feeling reported in the focus groups was echoed in the online survey where 50% of respondents believed they should not undergo a health assessment and 16.4% being uncertain of whether or not it was appropriate and 33.6% recommending health assessments.



I think we're all allowed a one off. If it turned out that that was their third or fourth time or it turned out that they do have a history of alcohol abuse or whatever then yeah, I would have to consider it.

Again, some participants were more likely to prescribe more serious responses if a negative outcome were to result from the decision to drink-drive. Others pointed out that any decision to drink-drive creates the possibility (or even likelihood) of causing an accident.

But if this person has been drunk and caused a serious accident or something than you know I mean that's obviously going to be a different matter altogether...

Well the problem that you've got is that it could happen.

With regard to possession of cannabis, participants were again mixed in their opinion of how serious it was. Some were relatively relaxed about it.

I don't think it's a particular problem, I mean say if you were on three weeks holiday and you just went to this festival and say 'let's try this, see what happens', I don't think it matters.

Among other participants, the illegality of cannabis possession generated greater disapproval than drink-driving, and it also raised more questions about a professional's fitness to practise.

Although driving with over the permitted blood alcohol level and possession/use of cannabis are both illegal, participants generally felt that knowingly deciding to use an *illegal* substance was more serious - even if there was no apparent risk of harm to others - rather than the illegal act of driving a car after consuming too much of a *legal* substance. Essentially, for some participants, knowingly using an illegal substance would be an indicator of impaired judgement and poor decision-making, and so a greater cause for concern. Indeed, the public respondents to the online survey would suggest this view is representative, with 34.5% recommending regulator involvement in this instance, a difference of 24 percentage points to that shown for drink-driving.

You know when you're having a glass of wine you're not bothering anybody until you've had five or six and get in a car. But if you are handling marijuana and you're passed a spliff, whatever, you know immediately that you're breaking the law.

One reason quoted for why possessing cannabis caused such greater concern than the issue of drink-driving was the belief that if a health professional were able to abuse an illegal drug, then there may be a concern about their abusing legal drugs within the health care setting that they worked due to their 'accessibility'.



I mean if they can abuse marijuana what else can they abuse? Like as a healthcare professional you're working with a wide range of drugs and there are a lot of drugs that are legal which can have similar or you know, different effects to marijuana, well people would then go on to abuse and it does affect your integrity

Compared to the drink-driving scenario, participants were more likely (though not unanimous) to recommend a health assessment for a conviction relating to possession cannabis, and were less likely to discuss the extenuating circumstances. There were some exceptions, in which the key factor seemed to be an expectation that off-duty health and care professionals should be treated the same as other people for the same act.

And you don't know what the circumstances, someone might have asked them to hold [the cannabis] for them, it could be anything; you can't really treat the person harsher than any other person out there.

3.2.5 Scenario discussions: theft ("shoplifting")

Scenario 7: A health professional is arrested for shoplifting.

In this final scenario, participants were very quickly able to identify and articulate why being arrested for shoplifting might raise questions about a professional's fitness to practise. Discussions essentially focused on participants' understanding that fitness to practise is not just about competence but is also about a professional's character and suitability for the role – particularly their honesty and trustworthiness.

Shoplifting was generally viewed as an irrational act. The belief amongst some participants was that health and care professionals ought to be making a reasonable wage and as such should not be driven to acts of desperation through necessity. Shoplifting was also easily linked to theft in the workplace and the feeling was that if theft was occurring outside of work, then it was likely occurring within the workplace as well. Moreover, the trust that is placed in health professionals came under serious scrutiny if that professional was known to have a problem with theft, particularly if they worked within service-users' homes.

It's a trustworthy issue rather than being competent for their job.

If they're shoplifting and if they're not doing that while they're at work like for example going through my bag while I go and do a test in the bathroom or something like that, and I don't have a problem with that because that's outside their work life. But if it's while they're on the job and they're actually taking my possessions, they're actually stealing from me then I think that's a great misconduct.

If I'm working in a laboratory somewhere probably the fact I've been shoplifting, take your example, isn't really going to affect my work. If I am somebody who goes in



somebody else's home, well yes I think that is relevant because what's to stop them lifting things in my home.

I think we really need more information here, again if this is just one off and it's a mistake it's no problem, but if it's an ongoing thing, if they're taking things from shops, it's likely they're taking things from work.

There was also a view that shoplifting might be an act which belies a deeper-seated mental health issue, the act itself suggesting a cry for help. Participants were nearly unanimous in recommending that professionals should undergo a health assessment to identify any underlying problems that may be causing them to 'act out'. The strength of feeling within the discussions on this issue in focus groups was however not reflected in the online survey, where 36.9% recommended regulator involvement in the first instance, only slightly more than for possessing cannabis.

It is important to note that despite the fact that participants were more likely to link shoplifting with an impaired fitness to practise (than any of the other scenarios), and believed that a health assessment was appropriate, they were very careful to discuss consequences in a supportive and rehabilitative rather than punitive context. They wanted to understand the circumstances that might (fully or partially) explain what had occurred, and to find ways to assist the health professional to be fully fit to practise.

I think that is building a picture of a colleague that maybe severely struggling and perhaps does need some support, as an organisation, needs to be addressed.

On the whole, there is little consensus from the public on what they want to be protected from, and to what degree any action may impair a professional's fitness to practise. Key concerns about health professionals shared by members of the public were professionals who were consistently performing below standard, dangerously, or without consideration of patient and service-user needs. There appears to be a commonly held perception, possibly influenced by media reports of gross failures in health and care, that there exists a group of health professionals who consistently escape disciplinary procedures or fitness to practise proceedings through a lack of reporting, or moving to other roles and organisations. This is one area where members of the public felt there may be a role for the HCPC in mitigating, and one which they were clearly able to express their concerns about.

Circumstances, intent, attitude and repeated actions were all important for members of the public to consider when asked how fictional scenarios may affect fitness to practice. In some cases the role or setting of an act was also an important factor in determining the level of impairment.



Perceptions of fitness to practise and public protection: professional bodies, registrants, employers and educators

In the HCPC professional stakeholder interviews, we spoke to 20 stakeholders, including HCPC registrants, representatives of professional bodies, employers, educators and CHRE representatives. We sought their about their views on the role of the HCPC, fitness to practise and public protection. The interview topic guide is included in Appendix 2.

In general, the more closely that a stakeholder worked with fitness to practise processes, or indeed with the regulator, the more their responses reflected the defined statutes, standards and procedures that form the fitness to practise process. Few other trends emerged amongst the responses received from stakeholders; they varied nearly as much as responses in the public, patient and carer focus groups. On the whole, the professional stakeholder 'threshold' regarding what might bring a professional's fitness to practise into question was lower that of the public, patient and carer group participants.

4.1 Perceptions of the HCPC

All professional interviewees understood the role of the HCPC as being to protect the public. They correctly identified a wide range of roles and activities undertaken by the HCPC, including setting standards for conduct and ethics and ensuring that health professionals are competent to work safely and effectively.

Ultimately, as protecting the public.

Well public protection for me for my profession is about ensuring that we're training [professionals] to a particular standard which is mapped across to the various competencies that HCPC expect of their registrants.

... to be able to go and be treated by any registered professional and be confident that they were competent but also... honourable that they were going to work in my best interest, that they were not going to be giving me the cheapest treatment and soaking up the money, that they'd come into work having had a decent night's sleep, that they weren't on drugs or whatever.

Some interviewees emphasised the independence of the HCPC, and its ability to act in the best interest of the public without being swayed by any other group or party (including the government or professional bodies).



[The HCPC is there] to make sure that healthcare professionals are appropriately competent to do the jobs that they're doing. And as an independent body they therefore act completely independent of government, of any other sort of vested interest groups.

Two interviewees said that the HCPC's role included upholding registrants' human rights, under the relevant statutes.

4.2 Perceptions of public protection

Stakeholder participants generally defined public protection as protecting the public 'from something'; particularly through the lens of the medical 'do no harm' principle.

Interviewees working with more vulnerable populations, such as social care professionals, defined public protection as protecting people from harm within health and care settings as well as protecting them from 'abuse and exploitation' from outside sources (i.e. their homes and communities).

Other than one or two generic elements mentioned such as drugs or fraud, stakeholder participants did not believe they could comment fully or accurately on 'what the public may need to or want to be protected from'. In some cases their opinion was that it might not be useful to outline the specific acts as it may set some acts apart from others, leaving gaps and so challenging the individual assessment of circumstances in the fitness to practise process.

4.3 Scenario discussions

4.3.1 Thresholds for concern and escalation

In discussing fitness to practise and behaviours that might suggest impairment, the professional stakeholders were more prescriptive than patient, carer and public participants. They were not necessarily more punitive or more inclined to say that situations which suggested impairment inevitably required a fitness to practise investigation. Rather, being more aware of professional standards of practice and ethics, they were willing and able to give much more definitive responses.

Overall, their threshold for thinking that a professional's behaviour might suggest impaired fitness to practise was much **lower** than the public groups. Their threshold for involving the regulator, however, was much **higher**.

Like the patient, carer and public participants, they felt that, in any situation, the particular and individual circumstances would determine its relevance to fitness to practise. Similarly, they too believed that all health and care professionals should meet the same high standards of behaviour and that the consequences of unacceptable behaviour should be the same for all working in health and care, regardless of profession.



Compared to the patient, carer and public participants, professional stakeholder interviewees ascribed employers a much larger role in questioning and determining fitness to practise, as the first arbiter when situations arise and subsequently in liaising with the regulator

I think if it's within the employer's area of responsibility then it's for the employer to deal with that as they see fit through their standard disciplinary processes and it would be for the employer to decide whether they wanted to escalate that to HCPC or not.

Most of the stakeholder interviewees were employed by professional bodies or large NHS organisations. They were uncertain about whether employers in smaller organisations have the same ability and capacity to address fitness to practise issues, and wondered whether there might be (or might need be) different management, escalation and referral processes.

As in the public groups, recurrences of an unacceptable behaviour or practice were seen as much more significant and damaging than 'one offs'. Professional stakeholders in the interviews expected that people would be referred to the regulator for investigation of their fitness to practise if they did not improve after receiving a warning from their employer, and/or after completing a targeted professional development exercise.

Stakeholder interviewees further agreed with members of the public that actions and consequences should be viewed separately. They also, however, believed that the response of an employer or regulator ought to be proportionate to any harm that resulted from a mistake. As an example of this tension, stakeholders generally agreed that poor record-keeping is the same act, and equally unacceptable, regardless of whether any adverse health outcomes result. Nonetheless, they also said that the consequences for a professional whose record-keeping was unacceptable would need to be determined in proportion to any harm caused.

4.3.2 Scenario discussions: record-keeping

Scenario 1: A health professional's record-keeping is consistently unreadable or incomplete

Scenario 2: A health professional's record-keeping is consistently unreadable or incomplete

When we shared the public views with stakeholder interviewees, they were surprised to hear that patient records within a hospital were perceived as 'safer' than records that had been taken out of a health or care setting. Though they thought it was never appropriate to remove patient records from a health or care setting, and equally felt that doing so would clearly contradict professional conduct and ethics standards, they did not agree with the public view that records were 'safe' as long as they were kept within health and



care settings. Professionals were able clearly to articulate a higher threshold of confidentiality, and duty of care, with reference to patient information and records.

When asked whether a professional's fitness to practise might be affected by leaving a patient's record out in an open area of a care setting, stakeholder participants generally agreed that it might. Their view was that the circumstances under which it happened and the type of information that was in the record would affect the way in which the issue should be addressed. There was consensus that the initial response to this situation would be for an employer to assist the employee with some form of professional development to help them to correct their behaviours.

I don't think it's a regulatory matter, I think it's a management issue.

There has to be some training to ensure that the registrant understands what's expected of them in terms of legibility, what the information is that they have to record, that they have to sign it, put their registration number on, whatever, but then if they fail to do that then it would become a disciplinary matter within the organisation and that's the way that it would normally get reported up to the HCPC.

One participant made an interesting observation about the deliberate use of (arguably) disproportionate responses to one-off incidents as a management strategy.

I think there are huge differences between a one-off and routine bad behaviour, but I do wonder if sometimes, as a one-off, it's used in a way that is out of proportion to the incident because people want to fire a shot across someone's bows or whatever.

Where a professional's record-keeping is illegible or incomplete, again the stakeholder participants deferred to the employer to initiate professional development activities to bring record-keeping to standard. Again, they believed it was the employer's role to document instances and interventions (so that patterns of poor practice are identified sooner rather than later), to monitor improvement, and to report to the regulator if none is made.

In the online survey, no HCPC registrants recommended that incomplete records would require a fitness to practise investigation for a first offence, and only 3.5% recommended it for subsequent offences.

Clearly that's damaging the trust between the patient and the organisation and that would need to be addressed pretty severely and potentially reported to HCPC, especially if it was a repeat.

Participants who had assisted registrants through the fitness to practise process, or who were working for professional bodies, were more likely to discuss self-assessment of fitness to practise. They understood that it was their responsibility to report to the regulator any disciplinary action taken by an employer.



Well my understanding is if an employer takes disciplinary action against you then you need to inform the Regulator...

There was agreement amongst stakeholder interviewees that repeated instances of behaviour relating to either record-keeping scenario were more serious. There was also agreement that where records went missing or were illegible and patients suffered a negative outcome - whether through distress at their records being shared or a negative health outcome - that the response needed to be proportionate to the action and to the breach of trust that had occurred.

4.3.3 Scenario discussions: religious views

Scenario 3: A health professional has discussed their religious views with a patient during a consultation

Professional stakeholder interviewees answered with much more certainty than the public groups on this issue. Their view was that discussion of religious beliefs could only ever be appropriate when it was initiated/lead by a service user, within the context of a request for holistic care.

And as part of the holistic care that you are providing for the family and that person at the end of their life, it may be helpful for them to feel in some way that there is an element of understanding there, but it's being led by the client or the patient, it's never something that you would follow through...

As one interviewee pointed out, if such behaviour was reported to a complaints officer or to a professional body the professional had clearly behaved inappropriately – because the complainant felt strongly enough to mention it.

Well, if it's drawn to the employer's attention, it's obviously been a problem because someone has behaved inappropriately or in a way that has been perceived as inappropriately.

Otherwise, in most cases, professional stakeholders felt this was a failure to consider a patient's dignity and to treat them with respect. 'Inappropriate' was the term most often used, and some form of employer involvement might be required. Within HCPC registrants the clear majority of responses (78%) were for some form of informal (and in some cases formal) warning from an employer.

In most circumstances, stakeholder interviewees did not immediately recommend a fitness to practise investigation in such cases. The clear exception, which professional stakeholders said would immediately raise questions about fitness to practise, was if a professional withheld treatment or advised on treatment options based on their own religious beliefs. Stakeholder participants felt, however, that was really very unlikely to happen.



4.3.4 Scenario discussions: criminality

Scenario 4: A health professional has been charged for drink-driving after attending a party on a weekend they were off duty. They drank 4 or 5 glasses of wine – they have not shown a history of alcohol abuse – does this impact on their ability to do their job?

Scenario 5: A health professional has participated in a public protest and has been arrested or detained for a public order offence as they are present when some violence has broken out, but are not directly involved in violence.

Scenario 7: A health professional is arrested for shoplifting.

Stakeholder interviewees gave mixed responses to the 'criminality' scenarios with respect to fitness to practise. There were also different views about whether or not a professional would or should be required to declare arrests, charges or convictions to their employer or to the regulator.

Well I know they do in the sense that that is a requirement to inform them at the present point in time, I do feel somebody needs to know and I am not actually sure now you've raised that question, if that happened to me I don't know whether I would have to, whether I would be obliged to tell my employer.

For those who did believe that professionals had a duty to report convictions to the HCPC, they were uncertain at which point in the criminal justice process (arrest, charges or conviction) they were required to self-report. Those with more experience of the regulator and its processes had a view that it was better to report any instance from the outset, than to have the regulator discover it later on.

4.3.5 Scenario discussions: substance abuse

Scenario 4: A health professional has been charged for drink-driving after attending a party on a weekend they were off duty. They drank 4 or 5 glasses of wine – they have not shown a history of alcohol abuse – does this impact on their ability to do their job?

Scenario 6: A health professional is arrested at a music festival for possession of marijuana; they are not known to be a regular user of drugs.

Discussions about a conviction of drink-driving or possession of cannabis centred on the duty that health and care professionals have to 'uphold the standards of the profession'. Indeed, one interviewee questioned whether or not a health professional could ever be considered to be off-duty, given the position of trust they hold.

Because of the belief/understanding that professionalism extends beyond the confines of a professional's workplace and working hours, stakeholder interviewees were more likely



than public participants to believe that a conviction of this nature may affect a health or care professional's fitness to practise - but there was no consensus on this issue.

If ... they were convicted of that offence they would need to declare it and then I think a view would need to be taken both by the employer and also by HCPC as whether or not that was going to significantly affect their practise at work.

I think, you know, as a [health professional] I have to say that, you know, are you ever off duty? And the answer is probably not because even if I'm at home and this is sort of speaking personally, as a head of department here I can be phoned up for major incident at any time and I need to be able and fit enough to be able to respond to that in an appropriate way. The degree of responsibility that you need outside the workplace in order to maintain your professionalism.

Well I think whatever you do outside your place of employment always needs to uphold the standards of the profession, you know. If you are doing things which clearly are illegal then that needs to be brought to the attention of the employer if that's the case.

Where interviewees did believe that fitness to practise was impaired according to these scenarios, it was not seen as significantly impaired to the point of 'being struck-off' or removing the professional's ability to earn a living (unless the justice system effectively did so by rescinding a professional driver's licence). Rather, interviewees believed that an instance of substance abuse painted part of a picture, which may, in combination with other factors, give cause to question and investigate fitness to practise.

Stakeholder participants echoed the views of the public in asserting that possessing cannabis was more likely to affect fitness to practise than drink-driving. This again was because interviewees saw clear intent to act illegally, whereas, some argued, with drink-driving there is a 'legal' impairment in judgement which has lead to the illegal act. This belief seems to be consistent with HCPC registrant responses to the online survey, 53% of which recommended a warning from an employer and a notification to the regulator for a charge of possessing cannabis, compared to only 25% recommending the same for impaired driving charges, and the majority of other responses corresponding to 'less severe' consequences in the case of drink-driving.

They are dealing with an illegal substance and therefore to me that's a criminal offence, and that's the difference between having a few drinks more where you went, having the drink is not the criminal offence, it's having too much to drink and driving that's the criminal offence, and I would differentiate between the two.

Like members of the public groups, professional stakeholders shared a belief in supporting any professional to understand what led them to commit a criminal act, and in responding accordingly and in a rehabilitative manner to any issues relating to substance use and abuse.



4.3.6 Scenario discussions: theft ("shoplifting")

Scenario 7: A health professional is arrested for shoplifting.

Professional stakeholders responded to the shoplifting scenario in a similar manner to members of the public focus groups. They believed that shoplifting was an irrational act for a health professional - who should be earning a good wage - to have committed. They were also interested to know what had lead the professional to have committed the act, and were much more likely to recommend some form of assistance for the shoplifting professional than in criminality or substance abuse scenarios.

One interviewee noticed dissonance in their own thinking, which they attributed to believing that a 'cry for help' (i.e. the irrational act) was more worrying than instances of substance abuse.

Yeah. And yet we've not mentioned about assisting people with drugs problems or drink problems.

And again I would be back to saying well, you know, we need to be able to support this individual and that might actually be also a role for HCPC in supporting the individual who's doing something which is really totally unexpected with regard to the professional role that they're undertaking in their day-to-day job.

Stakeholder interviewees were also more likely to believe that shoplifting would affect a professional's fitness to practise because of the contravention of trust that such dishonesty implies.

The contravention of trust is an issue which resonated deeply with the stakeholder interviewees; it was the point at which fitness to practise really came in to question. They raised the same issues and questions that the public raised, in particular about whether shoplifting might indicate a propensity for theft within other areas, such as at work or in service users' homes. The online survey, again confirms the fact that HCPC registrants view shoplifting as serious, 46.9% of all respondents recommending a formal warning from an employer and a notification to the regulator. Only 15.6% of all respondents recommended the initiation of a fitness to practise investigation at the outset.

4.3.7 Health assessments as a response to criminal convictions

Professional stakeholders' views about requiring health assessments after criminal convictions were essentially split along two lines.

One group of interviewees, a very marginal majority, wondered if the recommendation of a health assessment was proportionate response to what was a 'one-off' activity. They could understand why it may be recommended, and appreciated that other processes



may 'miss' serious underlying problems. There were nonetheless uncomfortable with a blanket recommendation about health assessments.

The second group, slightly the minority, believed that a health or care professional's knowledge of the standards of competency and ethics would mean they would understand that they had made a mistake which had called into question their fitness to practise. A health assessment would therefore be considered a 'small-hurdle' to complete in order to have assurances for all parties that they were fit to practise.

I don't see that a health professional, either myself or a member of [professional body] would have a problem in going through such a health assessment. So I don't think for that reason we would have any objection to it.

I mean my gut instinct is that it's disproportionate, but then when you do hear of anecdotal stories in the past when people have had significant dependency problems with alcohol or drugs, and they haven't been picked up, so I very much understand where [proponents] are coming from on that. Whether having had a couple of extra pints on a Saturday night then means you have to go to that level, I wonder whether that's proportionate.

Stakeholder interviewees' views aligned closely with those of the public in recommending health assessments in relation to specific convictions. They were:

- most likely to recommend a health assessment after a conviction of shoplifting;
- more likely to recommend a health assessment after a conviction of possessing illegal drugs (online survey respondents 57.8% would recommend);
- less likely (and on the whole unlikely) to recommend a health assessment after a conviction of drink-driving (online survey respondents 42.2% would recommend).

Professional stakeholders were concerned about the unintended implications or precedents caused by defining public protection or outlining what members of the public may wish to be protected from. They associated public protection with the prevention of harm, both within health and care settings and in the community.

Professionals were more likely than members of the public to assign a large role to employers in the determination of impairment of fitness to practise, specifically in the role of referring health and care professionals to the regulator.

Professionals also saw a need to discuss circumstances related to any potential impairments or off duty criminality, however their threshold for suggesting a fictional incident 'might' affect one's fitness to practise was lower than that of members of the public. This was attributed, in part, to their increased knowledge of standards of practise, including 'upholding the public perception of the profession'.



5. Perspectives from respondents to the online survey

5.1 Overview

The online survey asked respondents to identify whether they were a member of the public, a HCPC registered health or care professional, non-HCPC registered health or care professional or other. The vast majority of the 204 respondents members of the public (48%) or were an HCPC registered professional (37.3%).

A further 30.4 % had not heard of the HCPC before taking the survey, meaning they would have little or no knowledge of the fitness to practise process. Interestingly, their responses reflected a very similar pattern to both members of the public who had further knowledge of the HCPC well, and of HCPC registrants themselves.

Survey questions were designed to assess the respondents' views of what constituted an appropriate response in terms of action (or inaction) to a number of scenarios of health professionals' behaviours. A number of follow up questions to each scenario were developed to further clarify respondents' opinions. It is however important to note the limitations of the survey methodology, as compared to the qualitative approaches used in earlier phases of the project. While the focus groups and interviews provided opportunities for participants to explain the reasons for their responses and to explore the 'grey areas', survey respondents were essentially limited to choosing from the response options available.

The online survey questions and full data breakdowns are provided in a separate document as Appendix 3.

The results of the online survey seem to show a slightly more lenient viewpoint on some of the scenarios, in that the threshold for notifying the regulator seemed higher than in the public focus groups.

The online survey asked respondents to choose an appropriate consequence (including no action) for the professionals in each of the scenarios. The degree of concern about fitness to practise in each case can be inferred from respondents' choices, and seems slightly more lenient than views expressed in the focus groups and interviews. It may be that online survey respondents were less inclined to specify a punitive consequence based only on the minimal information presented in the scenarios.


As in the focus group and interview stage of this research, the responses from individuals vary greatly. For nearly all scenarios, there were respondents choosing 'no action' at the same time as others were recommending that a fitness to practise investigation be



initiated. There was however a clear shift towards consensus - and towards more severe consequences - for repeated actions, for dishonesty and for seeking to avoid taking responsibility for behaviours and/or adverse outcomes.

'Not telling the truth about what happened' was viewed very negatively by online survey respondents, and was the issue likely to cause most concern about fitness to practise.

Chart 1: Of all the scenarios you have just seen, which would make you most concerned about a health or care professional's ability to do their job safely and effectively?



Reflecting the focus group and interview findings, 20.8% of online survey respondents felt that they would need to know more about the circumstances in order to say which scenario would make them most concerned; on the information provided, 17.9% regarded all the scenarios as equally serious.

5.2 Scenarios

Online survey respondents were offered six response options to all scenario questions that reflected the potential consequences identified by participants in the earlier stages of the research:




- no action;
- informal warning from employer;
- formal warning from employer;
- formal warning from employer and regulator notified;
- formal investigation by regulator;
- don't know / can't answer.

There were only two types of scenarios where no respondents chose the 'no action' category - questions about record keeping, and scenarios where health or care professionals were found to be dishonest.

5.2.1 Scenarios: record-keeping

Like the stakeholder interviewees, online survey respondents largely agreed that responsibility for addressing poor record-keeping should fall to the employer in the first instance.

Chart 2: People working with a health or care professional report that the records they keep are difficult to read or incomplete. This is first time that they have noticed the problem. What should happen?



When asked about records that were left out in an open area of the hospital, more respondents chose options relating to regulator notification and regulator investigation (a jump of nearly eight and just over five percentage points respectively).

More severe responses were chosen when respondents were told that personal information was seen and copied by a member of the public. Essentially, as in the focus groups and interviews, survey respondents indicated that the consequences for the professional concerned should reflect the outcome of their behaviour, as well as the behaviour itself.

Chart 3: A health or care professional left a patient's personal records in a public area. What should happen?



Making patients' views count





Chart 4: The records that were left visible and unprotected contained the patient's name, all their contact details and a full medical history. A member of the public saw and copied information from them. What should happen?



5.2.2 Scenarios: criminality

The online survey showed a variety of viewpoints regarding off-duty criminal activities. Despite the illegality of all three offences, different consequences were considered appropriate for charges of drink-driving, possession of cannabis and shoplifting. This may point to the societal views about acceptability or to the perceived importance of 'intent', as explored in the focus groups.

Notably:

 33.9% of respondents recommended no action for a charge of drink-driving compared to 10.3% 'no action' for possessing cannabis and 16.1% for shoplifting;



 6.8% of respondents recommended a formal investigation by the regulator for drink-driving, whereas 17.1% did so for possessing cannabis and 15.5% for charges of shoplifting.

Chart 5: A health or care professional is charged by the police for drink-driving after attending a party on a weekend when they were off-duty. They drank four or five glasses of wine. There is nothing to suggest that they have a problem with alcohol. What should happen?




Chart 6: A health or care professional is arrested at a music festival for possession of cannabis. They are not known to be a regular user of illegal drugs. They are charged and convicted of the offence. What should happen?







Chart 7: A health or care professional is convicted of shoplifting. What should happen?



Further evidence of the disconnect between drink-driving and drugs offences is seen when respondents were asked whether they thought a professional should have to take part in a formal health assessment to see if they have a problem with alcohol (or drugs) that may affect their work.

In the case of drink-driving, 36.1% felt they should, 47.5% did not think they should and 16.4% could not answer. In the case of possessing cannabis 60.6% recommended a health assessment, 25.7% felt they should not have a health assessment and 13.7% could not answer.

Chart 8: Do you think that this professional should have to take part in a formal health assessment to see if they have a problem with alcohol that may affect their work?





Chart 9: Do you think that this professional should have to take part in a formal health assessment to see if they have a problem with illegal drugs that may affect their work?





5.3 Type of profession/role in determining appropriate consequences


When asked about the standards for professionals, both the public focus groups and the stakeholder interviews felt that the standards of practice and ethics should be the same for all professions regulated by the HCPC regardless of whether they were public-facing or not. A very few participants added that some professions may have additional requirements in order to meet their duty of care, but on the whole most participants agreed that the nature of health and care professionals' work necessitated high standards of behaviour.

We explored this further in the online survey by providing further information on, or slightly changing, some of the scenarios.

Online survey respondents were asked what the appropriate consequence would be for a health professional who was charged with shoplifting *and who regularly worked in people's homes*. Compared to the original 'shoplifting' scenario, there was a drop of 11.5 percentage points recommending no action and an increase of 17.3 percentage point recommending a formal investigation by a regulator.

Based on the responses given in earlier phases of the project, there was a perception that though all health and care professionals hold a position of trust, that those who work within people's homes have a higher position of trust due to their place of work; as such, the contravention of that increased trust appears to be viewed more negatively with online survey respondents recommending a more severe consequence in this instance.

Chart 10: The professional who was convicted of shoplifting regularly provides services in people's homes. What should happen?



When asked what action might be appropriate where a health or care professional had shared their religious views but the patient was **not** distressed, 40% of respondents felt that no action would be required and 47.6% felt that an informal warning would be appropriate. No respondents recommended a formal investigation by the regulator.



When the scenario was changed to a clinical psychologist sharing their religious beliefs with a vulnerable adult, only 6.5% said no action, 15.1% said informal warning from the employer and 14% said a formal investigation by the regulator. There was a much larger group (10.2% vs. 1.0%) who responded that they didn't know or couldn't answer the question.

Chart 11: A patient says that a health or care professional talked about their religious beliefs during a discussion about her care and treatment options. The patient did not share the professional's religious beliefs, but **WAS NOT** offended or distressed. What should happen?



Chart 12: If the patient was a vulnerable adult and the health professional that raised their religious beliefs was a clinical psychologist, what should happen?



5.4 Views of male and female respondents

Participants in the online survey gave a similar pattern of responses to the scenarios regardless of gender. On most questions, male participants were however more likely to say either 'no action' or 'formal investigation by regulator' than female participants, and women were more likely than men to recommend employer involvement.



A full breakdown of male and female responses is available in Appendix 3.

Chart 13: Male vs female responses – people working with a health or care professional report that the records they keep are difficult to read or incomplete. This is first time that they have noticed the problem. What should happen?





Chart 14: Male vs female responses – a health or care professional is arrested at a music festival for possession of cannabis. They are not known to be a regular user of illegal drugs. They are charged and convicted of the offence. What should happen?



5.5 Views of respondents by profile

HCPC registrants were less likely than members of the public or health or care professionals not registered with the HCPC to recommend a formal fitness to practise



investigation for leaving a record in a public area or similar scenario (see chart 15) but were more likely to recommend one in the case of drink-driving (see chart 16), suggesting that their awareness of self-referral of fitness to practise issues may affect their responses.

Chart 15: Respondent profile responses: A health or care professional left a patient's personal records in a public area. What should happen?





Chart 16: Respondent profile responses: A health or care professional is charged by the police for drink-driving after attending a party on a weekend when they were off-duty. They drank four or five glasses of wine. There is nothing to suggest that they have a problem with alcohol. What should happen?





As illustrated in the earlier stages of the study, the results of the online survey reiterate the range of views on how different actions, incidents or convictions may impair fitness to practice. The online survey questions asked about consequences for scenarios rather than for the degree to which any scenario may affect a health or care professional's fitness to practise.

The survey did highlight one crucial difference from earlier stages. Real consequences as a result of health or care professional's actions and the nature of a professional's role and relationship with patients influenced respondents' views regarding the most appropriate course of action.



Appendix 1: patient and carer focus group topic guide

Welcome and Introductions.

Introduce self and Picker Institute Europe.

Introduce Project:

The Health and Care Professions Council (HCPC) is the independent regulator of 16 health, social work and psychological professional groups across the UK and social workers in England. Its role as regulator is to set and maintain standards of the professions to include elements such as education, training, skills, behaviour, registration and fitness to practise. HCPC's fitness to practise process is centred on the desire to protect the public from harm.

More on fitness to practise:

The purpose of out fitness to practise process is to protect the public from those who are not fit to practise. If a professional's fitness to practise is impaired, it means that there are concerns about their ability to practise safely and effectively. This may mean that they should not practise at all, or that they should be limited in what they are allowed to do. Sometimes professional make mistakes that are unlikely to be repeated. This means that the person's overall fitness to practise is unlikely to be 'impaired.' Our processes do not mean that we will pursue every isolated or minor mistake.

This means that the fitness to practise process is very different from other types of complaints processes. The process is not designed, for example, to provide complainants with an explanation, an apology or compensation. It is also not designed to punish registrants for a mistake (i.e. a mistake may have been made but this might not be sufficiently serious to impair that registrant's fitness to practise).

This focus group is one of 6 that forms the first stage of a project to consult with the public, health professionals and other stakeholders on what behaviours, actions, etc. are relevant for public protection and fitness to practise.

- Arts therapists
- Biomedical scientists
- Chiropodists/podiatrists



- Clinical scientists
- Dietitians
- Hearing aid dispensers
- Occupational therapists
- Operating department practitioners
- Orthoptists
- Paramedics
- Physiotherapists
- Practitioner psychologists (e.g. Clinical psychologists)
- Prosthetists and orthotists
- Radiographers
- Social workers in England
- Speech and language therapists

Ask if anyone has any questions

Go through key points on info sheet, explain digital recording, and ask for signed consent forms.

Participant introductions

Warm up

Theme - defining health, social work and psychological professionals

If you think about the health professionals that have treated you or one of your family members – what types of things would make you decide that they were a 'good' Health Professional?

What type of a status do Health Professionals have? How do people view them? Do we think about them differently?

Why do we trust health professionals?

Status of Health, social work and psychological professionals

Do we accept certain ways of behaving, or ways of being treated from health professionals that we wouldn't from others?

Thinking about what we've just said about trust, and behaviours, do you think that health professionals have a responsibility to behave in a certain way?



- What happens if a health professional doesn't live up to that responsibility?
- At work?
- In their personal life?

Concerns about Health, social work and psychological professionals

In the last 12 months have you heard of anything concerning about health professionals? Perhaps in the newspapers, on the television, from other people- friends, family members or people in the group/forum?

Can you think about what it's like when you see a health or social care professional? Can you think about things that may make you feel unhappy, uncomfortable or unsafe when visiting a health professional?

Prompts:

- · Lack of cleanliness
- Waiting time
- Poor communication
- Poor clinical skills
- Not enough information
- Bad follow up care
- Inappropriate behaviour
- Out of date equipment
- Poorly organised clinic

Scenarios for discussion: professional behaviours

We're going to talk through a number of scenarios or examples of ask a you some questions about them.

1. A health professional has left a patient record in an open area of the hospital that they practise in – is this a problem?

Supplementary questions:

- If this was the first time it happened?
- if this was a regular occurrence?
- If this professional had been warned about this behaviour by their employer
- What type of consequence would be appropriate?



A health professional's record-keeping is consistently unreadable or incomplete, is this a problem?

Supplementary questions:

- If it leads to inappropriate treatment by another professional does your view on this change?
- If the health professional's record keeping has not improved despite the issue having been addressed by their employer? Colleagues?

A health professional has discussed their religious views with a patient during a consultation. Does this affect their fitness to practise?

Supplementary questions:

 Does this change circumstantially - ie general discussion passing the time vs. discussing use of faith in treatment? Etc?

Scenarios for discussion: criminality

We're going to ask a number of questions about criminal charges which have occurred while professionals are 'off duty' and see whether they have an impact on a health professional's fitness to practise.

A health professional has been charged for drink-driving after attending a party on a weekend they were off duty. They drank 4 or 5 glasses of wine – they have not shown a history of alcohol abuse – does this impact on their ability to do their job?

Supplementary questions:

- Should a regulator be made aware of this conviction?
- Should there be any professional consequences, or are the justice system sanctions enough?
- Should the professional have to undergo a health assessment to see if they have an issue with alcohol?

A health professional has participated in a public protest and has been arrested or detained for a public order offence as they are present when some violence has broken out, but are not directly involved in violence.

Supplementary questions:

- Does this affect their fitness to practise?
- Should the regulator be made aware of the arrest/charges?
- What consequences, if any, should the health professional face?

A health professional is arrested at a music festival for possession of marijuana; they are not known to be a regular user of drugs.



Supplementary questions:

- Does this affect their fitness to practise?
- If they were to go on shift that evening does your opinion change?
- Should the regulator be made aware of the arrest/charges?
- Should the professional have to undergo a health assessment to see if they have an issue with drugs?

A health professional is arrested for shoplifting.

Supplementary questions:

- Does this affect their fitness to practise?
- Should the regulator be made aware of the arrest/charges?
- Should the professional have to undergo a health assessment to see if they have a mental health issue?

Follow up questions which may apply to any/all of the above scenarios:

What role do employers have in resolving issues? When is a regulator required to decide?

Does it matter if this is the first time that the health professional has made this mistake? Would it concern you more if this happened regularly? How does that affect whether the public needs to be protected?

Does the type of health professional change the way you feel about the scenario or do you feel all health professionals should be held to the same standard? (might choose two specific professions for a scenario to discuss)

Are there any gray areas?

If we round up all of the scenarios we discussed today - is there one that has stuck out for you as the most serious?

Why?

Least serious?

Why?

Thanks, incentives and close



Appendix 2: professional interviews topic guide

Welcome and Introductions.

Introduce self and Picker Institute Europe.

Introduce Project:

Thank for participation in the project and for time today - explain that interview will take no more than 30-40 minutes.

Audio recording - explain rationale, emphasise confidentiality, obtain consent.

Start recording and clearly indicate that now recording (e.g. state date and interviewee name for benefit of recorder).

Introductory questions

Could you briefly tell me about your organisation and your role?

Who do you work with/represent?

What's your knowledge of the HCPC - have you had much involvement with them?

How do you view their role?

What does the term 'public protection' mean to you?

What do you know about the fitness to practise process?

Scenarios for discussion - professional competence

We're going to talk through a number of scenarios or examples and ask you for your reactions/responses to them.

A health professional has left a patient record in an open area of the hospital that they practise in - is this a problem?

A health professional's record-keeping is consistently unreadable or incomplete, is this a problem?



A health professional has discussed their religious views with a patient during a consultation. Does this affect their fitness to practise?

Scenarios for discussion - criminality

We're going to ask a number of questions about criminal charges which have occurred while professionals are 'off duty' and see whether they have an impact on a health professional's fitness to practise.

A health professional has been charged for drink-driving after attending a party on a weekend they were off duty. They drank 4 or 5 glasses of wine – they have not shown a history of alcohol abuse – does this impact on their ability to do their job?

Supplementary questions:

- Should a regulator be made aware of this conviction?
- Should there be any professional consequences, or are the justice system sanctions enough?
- Should the professional have to undergo a health assessment to see if they have an issue with alcohol?

A health professional has participated in a public protest and has been arrested or detained for a public order offence as they are present when some violence has broken out, but are not directly involved in violence.

Supplementary questions:

- Does this affect their fitness to practise?
- Should the regulator be made aware of the arrest/charges?
- What consequences, if any, should the health professional face?

A health professional is arrested at a music festival for possession of marijuana; they are not known to be a regular user of drugs.

Supplementary questions:

- Does this affect their fitness to practise?
- If they were to go on shift that evening does your opinion change?
- Should the regulator be made aware of the arrest/charges?
- Should the professional have to undergo a health assessment to see if they have an issue with drugs?

A health professional is arrested for shoplifting.

Supplementary questions:

- Does this affect their fitness to practise?
- Should the regulator be made aware of the arrest/charges?



• Should the professional have to undergo a health assessment to see if they have a mental health issue?

If we round up all of the scenarios we discussed today - is there one that has stuck out for you as the most serious?

- Why?
- Least serious?
- Why?

Priority areas for these interviews:

Testing public opinions (prompts at end of scenarios):

In the focus groups with the public, we found that they viewed the scenario of being caught with a joint in a pocket at a music festival as much more serious than the incidence of drink-driving - do you have any views on why this might be?

- Do you think your members/students/colleagues would agree with the public perception or would their perspective be different?
- What might be different and why?

In terms of criminal convictions, members of the public were almost unanimous in recommending a health assessment for shoplifting, generally in favour in recommending a health assessment for drugs related officences, but did as often believe that a health assessment would be necessary for drink-driving

- Do you think your members/students/colleagues would agree with the public perception or would their perspective be different?
- What might be different and why?

Focus group participants were less concerned about leaving a record in the open within a healthcare setting than they were about it being removed from a hospital/healthcare setting

- Do you think your members/students/colleagues would agree with the public perception or would their perspective be different?
- What might be different and why?

Bad recordkeeping was always seen as fairly negative, but was perceived as a much more serious issue than that of the health record being left out where others had access to it

- Do you think your members/students/colleagues would agree with the public perception or would their perspective be different?
- What might be different and why?

Follow up questions which may apply to any/all of the above scenarios:

What role do employers have in resolving issues? When is a regulator required to decide?



Does it matter if this is the first time that the health professional has made this mistake? Would it concern you more if this happened regularly? How does that affect whether the public needs to be protected?

Does the type of health professional change the way you feel about the scenario or do you feel all health professionals should be held to the same standard? (might choose two specific professions for a scenario to discuss)

Are there any gray areas?

Thanks and close

Stop recording

Is there anything you would like to ask me?

Thanks and close.



Appendix 3: online survey response tables

Appendix 3 is provided as a separate document. It comprises:

- responses to online survey questions, all respondents;
- breakdown by respondent role;
- breakdown by knowledge of HCPC;
- breakdown by sex of respondents.

Picker Institute Europe

Buxton Court 3 West Way Oxford OX2 0JB

Tel: +44 (0)1865 208100 Fax: +44 (0)1865 208101

Email: info@pickereurope.ac.uk Website: www.pickereurope.org

Charity Registration no: 1081688

